

SEEGER
architectural lighting



 2011

VIENA

VIENA



VIENA

Classical wall/ceiling luminaire giving an even glare-free light through the satinized opal silk glass cover.



VIENA + Emergency Light

Specific components such as monitoring modules, AC/DC switching points, address modules and individual batteries can be integrated for the emergency lighting function.




► To specify choice of emergency components, please add:

- .06 Emergency light E14
- .07 Single battery 1 hour
- .08 Single battery 3 hour
- .09 Mains-battery switch

VIENA



Universally usable series of "just glass" luminaires. With 3-point bayonet fixing, enabling simple installation and maintenance of the luminaires tool-free.



Lighting Technology

Milky flashed glass/opal glass, still produced by hand by glass blowers. Once cooled down, the edges are ground off and the surface of the glass body is treated. Dipped in hydro-fluoric acid, the glass receives its characteristic, satin-matt surface finish.










VIENA




Customer requests can be individually catered for using accessories and add-on parts. VIENA project luminaires with wide, solid aluminium rings are finished with a scotched surface as a high-quality detail.

VIENA

Classic surface-mounted wall/ceiling luminaire with opalized glass cover with satin-matt finish. Luminaire fixture made of sheet-steel, powder-coated satin-matt white. Glass mounted with 3-point bayonet fixing.

Equipped for compact fluorescent lamps with electronic control gear. Electrical components covered by inner reflector. Prewired with heat-resistant cable and ready-to-connect. Double cable entry. Terminal block for through-wiring, 3-pole. Emergency lighting versions compliant to DIN VDE 0108 are available.




				10-13W G24q-1	18W G24q-2	26W G24q-3
				18W 2G10	24W 2G10	36W 2G10

Article No. ECG Lamp version						Version			
	Ø=320mm	5941.113	.-02	1 x TC-De	13W	<input checked="" type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>
	H=100mm	5941.118	.-02	1 x TC-F	18W	<input checked="" type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>
		5941.124	.-02	1 x TC-F	24W	<input checked="" type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>
	Ø=400mm	5940.118	.-02	1 x TC-De	18W	<input checked="" type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>
	H=105mm	5940.126	.-02	1 x TC-De	26W	<input checked="" type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>
		5940.136	.-02	1 x TC-F	36W	<input checked="" type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>
	Ø=480mm	5942.213	.-02	2 x TC-De	13W	<input checked="" type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>
	H=110mm	5942.218	.-02	2 x TC-De	18W	<input checked="" type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>
		5942.226	.-02	2 x TC-De	26W	<input checked="" type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>



VIENA




Classic surface-mounted wall/ceiling luminaire with opalized glass cover with satin-matt finish. Luminaire fixture made of sheet-steel, powder-coated satin-matt white. Glass mounted with 3-point bayonet fixing.





Equipped for compact fluorescent lamps with electronic control gear. Electrical components covered by inner reflector. Prewired with heat-resistant cable and ready-to-connect. Double cable entry. Terminal block for through-wiring, 3-pole. Emergency lighting versions compliant to DIN VDE 0108 are available.



							Version					
Article No. ECG Lamp version												







VIENA

Classic surface-mounted wall/ceiling luminaire with opalized glass cover with satin-matt finish. Luminaire fixture made of sheet-steel, powder-coated satin-matt white. Glass mounted with 3-point bayonet fixing.

Equipped for compact fluorescent lamps with electronic control gear. Electrical components covered by inner reflector. Prewired with heat-resistant cable and ready-to-connect. Double cable entry. Terminal block for through-wiring, 3-pole. Emergency lighting versions compliant to DIN VDE 0108 are available.



						Version			
Article No. ECG Lamp version						Opal glass, satin-frosted silk	Glass, marbled	White	Made to RAL
	Ø=400mm	5980.213	.-02	2 x TC-De	13W	●		●	○
	H=130mm	5980.118	.-02	1 x TC-De	18W	●		●	○
		5980.126	.-02	1 x TC-Te	26W	●		●	○
	Ø=320mm	5981.113	.-02	1 x TC-De	13W	●		●	○
	H=110mm	5981.118	.-02	1 x TC-Te	18W	●		●	○
	Ø=480mm	5970.218	.-02	2 x TC-De	18W	●		●	○
	H=140mm	5970.226	.-02	2 x TC-De	26W	●		●	○
		5970.232	.-02	2 x TC-Te	26/32W	●		●	○
	Ø=400mm	5971.218	.-02	2 x TC-De	18W	●		●	○
	H=140mm	5971.226	.-02	2 x TC-De	26W	●		●	○
		5971.232	.-02	2 x TC-Te	26/32W	●		●	○

Imprint

SEEGER

Technische Leuchten e. K.
Schwerter Str. 324
D-44287 Dortmund
Germany

Tel: +49 231- 44 10 92
Fax: +49 231- 44 10 76

info@seeger-licht.de
www.seeger-licht.de

VAT ID no.: DE 124779953
Tax no.: 315/5231/0060

Amtsgericht Dortmund
(Local first-instance court)
Commercial Register No.: HRA 16 133

General Information

All previous catalogues and the statements made therein are null and void with the publication of this issue. We reserve the right to make technical and formal changes to the listed products. The catalogue may contain errors. The lighting data, technical specifications and dimensions and the representational images and drawings shown in this catalogue are unbinding. All stated measurements are approximate and, unless otherwise stated, are given in millimetres. Unless otherwise stated, illuminants do not form part of the shipment. All brand names are the property of their rightful owners and serve only for descriptive purposes.