



2011


mini RAIL

mini RAIL



mini RAIL

A filigree, no-nonsense design, reduced to its essential elements this product is a welcome tool for scenic lighting in rooms. A convincing choice as an individual luminaire and as a complex luminaire row, which can be combined with very different system components. The luminaires are suitable for wall and ceiling mounting. They can also be suspended as a lighting structure using the suspension systems offered.




mini RAIL

Sharp-edged, drawn aluminium profile with partly fitted with luminaire elements. The specially shaped lampholder covers can be removed tool-free to facilitate lamp replacement.


mini RAIL

As a base version in an open design with a general-diffuse lamp. The lampholder covering is contoured to fit.




Parabolic Louvre

Accessories: despite the compact size, a fully-fledged louvre (computer-workstation compatible) is used here. Light distribution: direct/indirect, 80/20%.




Wallwasher

Accessories: the asymmetric aluminium reflector is fitted tool-free. The light emission is directed and enables an even illumination of vertical surfaces.



Clip Colour Filter

The alternative to coloured fluorescent lamps. The colour filter is clipped onto a white T5-lamp. 70% coverage.





mini RAIL


Sharp-edged, drawn aluminium profile. The strong housing allows even multiple-length luminaires to be offered as one-piece units. These follow the shape and are particularly easy to install. Delivered in individual lengths up to 3600mm. The electronic control gear is built in. Equipped for T5 fluorescent lamps, both HE and HO. Seven different wattages are available.

Equipped for T5 fluorescent lamps, with electronic control gear. Wired ready-to-connect with heat resistant cable. 3-pole terminal block, suitable for through wiring. As a base version with general-diffuse lighting technology. Parabolic louvre for glare control, colour filters and asymmetric reflectors are available as lighting accessories. Luminaire complete with clip-on lampholder covers.


Possible Suspension Systems:

- 

SYSTEM A
Pendant suspension for mounting boxes
- 







SYSTEM D
Pendant suspension for ceiling hooks
- 

SYSTEM E
Pendant suspension for concrete ceilings




► System Luminaire

The system components shown here are just a small excerpt of the current range of accessories that are available. More detailed design documents and an overview of the entire product range can be downloaded from our homepage as PDF files.

- | | | | |
|---|---|--|--|
|  | End plate
Art. No. 8955.099 |  | Module for luminaire unit
Art. No. 8955.096 |
|  | Straight connector
Art. No. 8955.098 |  | T-connector
Art. No. 8955.095 |
|  | Receptacle module for technical components
Art. No. 8955.097 |  | L-connector 90°
Art. No. 8955.093 |

► Individual luminaire

As a design aid we distinguish between individual luminaires and system luminaires. Individual luminaires are always pre-wired ready-to-connect and in one piece. The delivery includes the system related accessories. The electric components are built in. These luminaires are designed for ceiling mounting. Unsupported spans of up to 3000mm are possible.



					Version						
					Free luminescent	Parabolic louvre	Asymmetric reflector	Clip colour filter	Silver C3	Made to RAL	Anodized aluminium
Article No. Lamp version											
	L = 920mm	8950.139	1 x T16	21/39W	●	○	○	○	●	○	○
	L = 1220mm	8950.154	1 x T16	28/54W	●	○	○	○	●	○	○
	L = 1520mm	8950.180	1 x T16	35/49/80W	●	○	○	○	●	○	○
	L = 2000mm	8951.139	1 x T16	21/39W	●	○	○	○	●	○	○
	L = 2000mm	8951.154	1 x T16	28/54W	●	○	○	○	●	○	○
	L = 2000mm	8951.180	1 x T16	35/49/80W	●	○	○	○	●	○	○
	L = 2600mm	8952.139	1 x T16	21/39W	●	○	○	○	●	○	○
	L = 2600mm	8952.154	1 x T16	28/54W	●	○	○	○	●	○	○
	L = 2600mm	8952.180	1 x T16	35/49/80W	●	○	○	○	●	○	○

Imprint

SEEGER

Technische Leuchten e. K.
Schwerter Str. 324
D-44287 Dortmund
Germany

Tel: +49 231- 44 10 92
Fax: +49 231- 44 10 76

info@seeger-licht.de
www.seeger-licht.de

VAT ID no.: DE 124779953
Tax no.: 315/5231/0060

Amtsgericht Dortmund
(Local first-instance court)
Commercial Register No.: HRA 16 133

General Information

All previous catalogues and the statements made therein are null and void with the publication of this issue. We reserve the right to make technical and formal changes to the listed products. The catalogue may contain errors. The lighting data, technical specifications and dimensions and the representational images and drawings shown in this catalogue are unbinding. All stated measurements are approximate and, unless otherwise stated, are given in millimetres. Unless otherwise stated, illuminants do not form part of the shipment. All brand names are the property of their rightful owners and serve only for descriptive purposes.